

From: [Jennifer Woronets](mailto:jworonets@anchorqea.com)
To: [Kristine Koch/R10/USEPA/US@EPA](mailto:kristine.koch@epa.gov)
Cc: [Chip Humphrey/R10/USEPA/US@EPA](mailto:chip.humphrey@epa.gov); [Jennifer Woronets](mailto:jworonets@anchorqea.com)
Subject: RE: FW: Final Stormwater Loading Methods Report
Date: 04/21/2011 02:14 PM

Hi Kristine,

Thank you for your email. I will remove Dana from the distribution list. I added you to the distribution list the day we received the letter from EPA identifying you as the co RPM. I have you listed to receive four hard copies of documents. I am sorry if this did not happen properly. I will follow up with Anchor QEA to correct this.

Thank you,
Jen Woronets ©
Anchor QEA, LLC
jworonets@anchorqea.com
1010 NW Flanders, Suite 204
Portland, OR 97209
503-688-5057 Ext 14

Please consider the environment before printing this email.
-----Original Message-----
From: Koch.Kristine@epamail.epa.gov [mailto:Koch.Kristine@epamail.epa.gov]
Sent: Thursday, April 21, 2011 1:19 PM
To: Jennifer Woronets
Cc: Humphrey.Chip@epamail.epa.gov
Subject: Re: FW: Final Stormwater Loading Methods Report

Jen - we received the hard copy yesterday. First, could you ensure that all future submittals to EPA are addressed to both Chip and myself? Second, please remove Dana Davoli from your distribution list - she retired from EPA and no longer needs copies of LWG deliverables.

Thanks,

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup

U. S. Environmental Protection Agency
Region 10
1200 Sixth Avenue, Suite 900, M/S ECL-115
Seattle, Washington 98101-3140

(206)553-6705
(206)553-0124 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)

From: Jennifer Woronets <jworonets@anchorqea.com>
To: Chip Humphrey/R10/USEPA/US@EPA, Kristine Koch/R10/USEPA/US@EPA
Cc: Jennifer Woronets <jworonets@anchorqea.com>, Amanda Shellenberger <ashellenberger@anchorqea.com>, Carl Stivers <cstivers@anchorqea.com>, "Betz, Jan" <Jan.Betz@portlandoregon.gov>, Bob Wyatt <rjw@nwnatural.com>, David Ashton <david.ashton@portofportland.com>, "Fred G. Wolf (Frederick.wolf@total.com)" <(b) (6)>, Jennifer Woronets <jworonets@anchorqea.com>, "Jessica Hamilton (Jessica.Hamilton@portofportland.com)" <Jessica.Hamilton@portofportland.com>, "Jim McKenna (jim.mckenna@verdantllc.com)" <jim.mckenna@verdantllc.com>, "Karen Traeger (karen.traeger@total.com)" <karen.traeger@total.com>, "Madalinski, Kelly" <Kelly.Madalinski@portofportland.com>, Patty Dost <pdost@pearllegalgroup.com>, "Rick Applegate (Rick.Applegate@portlandoregon.gov)" <Rick.Applegate@portlandoregon.gov>, Steve Parkinson <sparkinson@GroffMurphy.com>, "(Brandy.Humphreys@grandronde.org)" <Brandy.Humphreys@grandronde.org>, "Allison Ebbets (aebbets@stratusconsulting.com)" <aebbets@stratusconsulting.com>, "ANDERSON.Jim@deq.state.or.us" <ANDERSON.Jim@deq.state.or.us>, "audiehuber@ctuir.com" <audiehuber@ctuir.com>, Bob Wyatt <rjw@nwnatural.com>, "Colin Wagoner" <colin@ridolfi.com>, "cunninghame@gorge.net" <cunninghame@gorge.net>, "erin.madden@gmail.com" <erin.madden@gmail.com>, Chip Humphrey/R10/USEPA/US@EPA, "JD Williams" <jdw@jdw-law.net>, Jennifer Peers <jpeers@stratusconsulting.com>, Jennifer Woronets <jworonets@anchorqea.com>, "Jim McKenna (jim.mckenna@verdantllc.com)" <jim.mckenna@verdantllc.com>, Julie Weis <jweis@hk-law.com>, Keith Pine <kpine@anchorqea.com>, Kristine Koch/R10/USEPA/US@EPA, "lisa.bluelake@grandronde.org" <lisa.bluelake@grandronde.org>, "Madalinski, Kelly" <Kelly.Madalinski@portofportland.com>, "Matt Johnson (matt@jdw-law.net)" <matt@jdw-law.net>, MCCLINCY Matt <MCCLINCY.Matt@deq.state.or.us>, Michael Karnosh

<michael.karnosh@grandronde.org>, "Rick Applegate
(Rick.Applegate@portlandoregon.gov)"
<Rick.Applegate@portlandoregon.gov>, Robert Neely
<Robert.Neely@noaa.gov>, Rose Longoria <rose@yakama.com>
Date: 04/15/2011 02:17 PM
Subject: FW: Final Stormwater Loading Methods Report

Chip, Kristine,

Please see below from Amanda Shellenberger.

Thank you,
Jen Woronets J
Anchor QEA, LLC
jworonets@anchorqea.com
1010 NW Flanders, Suite 204
Portland, OR 97209
503-688-5057 Ext 14

ü Please consider the environment before printing this email.

The information is intended to be for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by electronic mail at jworonets@anchorqea.com

From: Amanda Shellenberger
Sent: Friday, April 15, 2011 2:07 PM
To: Jennifer Woronets
Subject: Final Stormwater Loading Methods Report

EPA -

The Final Stormwater Loading Methods Report has been posted to the EPA side of the LWG Portal at the following location.

PHCP Files | Documents Under Review | 2011-04-15_Stormwater Loading Methods Report

This report is a revision to the Final Stormwater Loading Methods report submitted in January and addresses EPA comments on the Stormwater Loading Calculation Methods report received March 2, 2011.

Note that the file is not fully tagged to EPA requirements--there were several figures that could not be tagged without affecting the layout/content, but all of the other components have been tagged to the fullest extent possible. While the whole document was tagged to the extent possible, when you look at the document properties, it appears that the whole document has not been tagged.

Please contact me with any questions.

Amanda Shellenberger, P.E.
ANCHOR QEA, LLC
ashellenberger@anchorqea.com
720 Olive Way, Suite 1900
Seattle, Washington 98101
T 206.287.9130
D 206.903.3371
F 206.287.9131
ANCHOR QEA, LLC
www.anchorqea.com

We have moved. Please note our new address.

Please consider the environment before printing this email.
This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.